Redirects

We support two separate links, one for successful completes, one for everything else

If you'd like to setup custom redirect URLs, contact your Rapidoreach account manager. We don't support redirect hashing; we use secure hasing in our system-to-system Callbacks.

We return a handful of query parameters describing the session result in the URL:

transactionId

Transaction ID

userId

The three part RapidoReach user ID

endUserId

The user ID passed in the entry URL

status

The status of the transaction: C, P, or F.

sub_id

A custom tracker ID that you may pass with the user in the entry URL.

Example

```
https://www.rapidoreach.com/success=true&status=#status#&transactionId=#transactionId#&userId=#
```

Advanced Redirect Values

If you'd like to receive additional data about user sessions, add tcode to your Redirect URL:

tcode = #tcode# Below are the possible values you will receive the the tcode parameter.

Description	Code

Matcher Failed	1
Dropout	2
No Prescreeners available	3
Profiler Screenout	4
Transaction C (Complete)	5
Transaction F (Quota Full)	6
Transaction P (Screenout)	7
Internal Error	8
Missing Entry URL Parameters	9
Invalid Hash Code	10
Project Not Launched	11
Under Age User	12
User Already Completed Survey	13
User Banned	14
IP Banned	15
ISP Banned	16
Throttling error	17
No Matches	18
Matcher Timeout	19
Matcher Exception	20
Doesn't Match Survey	21